


SEALCRAFT

By Contour Windows, Inc.

Model 1000 PO

Performance Class: AW-PG90-AP



Awning / Project Out

Structural Test Pressure up to 135 psf

Water infiltration tested up to 12lbf/ft²

Withstands Wind Velocity up to 189 mph at design pressure


Thermally Improved Frame and Vent

SEALCRAFT

By Contour Windows, Inc.

Model 1100 COS (RH)

Performance Class: AW-PG90-CW



Casement Out Swing

Structural Test Pressure up to (135 psf)

Water Infiltration tested up to 12lb/ft²

Withstands Wind Velocity up to 189 mph at design pressure


Thermally Improved Frame and Vent

SEALCRAFT

By Contour Windows, Inc.

Model 1200 FX

Performance Class: AW-PG75-FW



Fixed Window

Structural Test Pressure up to 112.5 psf)

Water Infiltration tested up to 12lb/ft²

Withstands Wind Velocity up to 173.3 mph at design pressure

Thermally Improved Frame and Vent


*Optional Vertical/Horizontal Impost

SEALCRAFT

By Contour Windows, Inc.

Model 1000 PO

Performance Class: AW-PG90-FW






LIMITLESS CONFIGURATIONS.
SIZE LIMITED TO REGIONAL WIND LOADS & OVERALL
I.G. THICKNESS.

SEALCRAFT

By Contour Windows, Inc.

Model 1000 PO

Section Details




SEALCRAFT

By Contour Windows, Inc.

Model 1100 COS

Section Details




SEALCRAFT

By Contour Windows, Inc.

Model 1200 FX

Section Details



SEALCRAFT

By Contour Windows, Inc.

1000'S RECEPTORS

Section Details

