


SEALCRAFT

By Contour Windows, Inc.

Model 4200FX

Performance Class: AW-PG40-FW

Alt. Performance Class: AW-PG75-FW



Fixed Window

Structural Test Pressure up to 112 psf

Water Infiltration Tested up to 12.11 psf

Hurricane Impact Tested +50/-50

Florida Product Approval FBC #30904.1

Withstands wind velocity up to 173 mph at design pressure

Thermally Improved Frame

SEALCRAFT


By Contour Windows, Inc.

Model 4200FX

Performance Class: AW-PG40-FW

Alt. Performance Class: AW-PG75-FW

FIXED LIGHT BELOW OPTION




SEALCRAFT

By Contour Windows, Inc.

Model 4200FX - Louver

Performance Class: AW-PG50-FW

INTEGRAL LOUVER OPTIONS



Fixed Window with Integral Louver
Structural Test Pressure up to 75 psf
Water Infiltration Tested up to 10 lbf/ft²
Withstands wind velocity up to 141 mph at design pressure
Thermally Improved Frame

*Optional Vertical Impost



SEALCRAFT

By Contour Windows, Inc.

Model 4200FX

Section Details

NAIL FLANGE FRAME





SEALCRAFT

By Contour Windows, Inc.

Model 4200FX

Section Details

EQUAL LEG FRAME




SEALCRAFT

By Contour Windows, Inc.

Model 4200FX - Louver

Section Details




SEALCRAFT

By Contour Windows, Inc.

Model 4200FX - Louver


Section Details

NAIL FLANGE FRAME



⑦ LEFT JAMB

⑧ RIGHT JAMB



*⑨ IMPOST