


SEALCRAFT

By Contour Windows, Inc.

Model 4100HS

Performance Class: CW-PG50-HS



Horizontal Sliding Window

Structural Test Pressure up to 75 psf

Water Infiltration Tested to 7.5 psf

Hurricane Impact Tested +50/-50

Florida Product Approval FBC #30904.1

Withstands Wind Velocity up to 173 mph at Test Pressure

Thermally Improved Frame & Sash

Integral Nail Flange or Equal Leg Frames


SEALCRAFT

By Contour Windows, Inc.

Model 4100HS

Performance Class: CW-PG50-HS

INTEGRAL LOUVER OPTIONS




SEALCRAFT

By Contour Windows, Inc.

Model 4100HS

Performance Class: CW-PG50-HS

FIXED LIGHT BELOW OPTION





SEALCRAFT

By Contour Windows, Inc.

Model 4100HS

Section Details

NAIL FLANGE FRAME




SEALCRAFT

By Contour Windows, Inc.

Model 4100HS

Section Details


EQUAL LEG FRAME



3A LEFT JAMB

4 MTG. RAIL

5A RIGHT JAMB



2A SILL


SEALCRAFT

By Contour Windows, Inc.

Model 4100HS

Section Details

4100HS W/ INTEGRAL LOUVER NAIL FLANGE FRAME OPTION




SEALCRAFT


By Contour Windows, Inc.

Model 4100HS	Section Details
--------------	-----------------

4100HS W/ INTEGRAL LOUVER NAIL FLANGE FRAME OPTION



4100HS W/ FIXED LITE BELOW NAIL FLANGE FRAME OPTION



SEALCRAFT

By Contour Windows, Inc.

Model 4100HS

Section Details

4100HS W/ FIXED LITE BELOW NAIL FLANGE FRAME OPTION

